


**TECHNICAL DETAILS – testo 915i****Temperature - TC Type K (NiCr-Ni)**

<b>Measuring range</b>	<b>-50 to +400 °C</b>
<b>Accuracy</b>	<b>±1.0 °C (-50 to +100 °C) ±1 % of mv (Remaining Range)</b>
<b>Resolution</b>	<b>0.1 °C</b>
<b>Reaction time</b>	<b>t90: 60 s</b>

**General technical data**

<b>Weight</b>	<b>air probe: 11 g Bluetooth® handle: 88 g</b>
<b>Dimensions</b>	<b>Bluetooth® handle: 129 x 31 x 31 mm (LxWxH)</b>
<b>Operating temperature</b>	<b>-20 to +50 °C</b>
<b>Product-/housing material</b>	<b>Plastic</b>
<b>Protection class</b>	<b>IP20</b>
<b>System requirements</b>	<b>requires iOS 12.0 or newer; requires mobile end device with Bluetooth 4.0; requires Android 6.0 or newer</b>



<b>Product colour</b>	<b>black/orange</b>
<b>Plug-in probe connection</b>	<b>Lockable connection to 4 standard probes testo 915i; Standard plug-in connection to other common TC probes</b>
<b>Length probe shaft</b>	<b>99 mm</b>
<b>Diameter probe shaft</b>	<b>4 mm</b>
<b>Battery type</b>	<b>3 AAA micro batteries</b>
<b>Battery life</b>	<b>150 h</b>
<b>Data transfer</b>	<b>Bluetooth®; automatic connection to testo Smart App and Testo measuring instruments</b>
<b>Radio range</b>	<b>100 m</b>
<b>Storage temperature</b>	<b>-20 to +60 °C</b>

